

READ LABEL BEFORE USE

DANGER: Keep out of reach of children.

KIWICARE[®]

Permethrin + IGR

Long term, residual insect control.

1L 5L

Developed and tested for commercial and professional use in New Zealand conditions

Proudly New Zealand made

CONTAINS: 100 g/L Permethrin, 3 g/L Pyriproxyfen.

HSNO Approval Code: HSR101143

HSNO Classifications: 6.1E, 6.3B, 6.9B, 8.3A, 9.1A, 9.3C, 9.4A

Kiwicare Corporation Limited, 225 Maces Road, Christchurch, New Zealand. Ph: 64 3 389 0778

Pest	Rate
General	30 - 80 ml/100 m ² Use the higher rate when pest pressure is high or conditions warrant it.
Ants, Carpet Beetles, Clothes Moth, Mosquitoes and Flies, Silverfish, Spiders, Stored Product Insects and General Crawling Insects	30 - 80 ml/100 m ²
Bed Bugs and Cockroaches	80 ml/100 m ²
Fleas	50 - 80 ml/100 m ²

Non-porous surfaces: dilute with up to 5 L of water per 100 m², do not exceed the point of run-off.

Porous surfaces: dilute with up to 10 L of water per 100 m² of surface, do not exceed the point of run-off.



READ LABEL BEFORE USE

Directions

Application Methods

Kiwicare Permethrin + IGR is an emulsion concentrate formulation intended to be applied diluted, as a residual surface spray. A range of different types of application equipment may be used to apply it. Calibrate equipment to deliver the target rates indicated in the directions for use. If misting application equipment is used users should be aware of the greater potential for off-target drift with use of finer droplets. Protect non-target surfaces from spray drift. Pressure spray equipment - for most pressure spray equipment the dilution rate will be 10-30 ml/L.

Precautions: This product is not to be used in a wide dispersive manner (where there would be potential for losses by airborne drift or run-off). Do not breath in the substance. Eye and face protection should be worn when using the substance. Do not spray electric motors or switchgear with the water-based product. Avoid contact with food, food utensils or surfaces on which food is prepared. Before Use - Remove or cover all exposed foodstuffs, food equipment and preparation surfaces. Remove, or cover and turn off pumps, of all fish tanks. After Use - Thoroughly ventilate treated areas. Wash down all food contact surfaces.

Application to Carpets:

Carpets are regarded as porous surfaces; however, non-porous surface rate should be adopted if possible. For short pile carpet, the 5 L of water/100 m² should be sufficient. However, for long pile or shag carpet, the 10 L of water/100 m² may be required. to ensure effective penetration and application to all the carpet-pile. A small, inconspicuous area of carpet should be sprayed and allowed to dry to ensure that staining will not occur.

Preparation:

Clean down dusty or greasy surfaces before application. Allow to dry before application. See Precautions regarding food, food preparation areas and fish tanks.

Warning: May cause serious eye damage and irritation or numbing of skin. Swallowing or inhalation may cause target organ toxicity.

First Aid: If swallowed rinse mouth and drink 1 - 2 glasses of water or milk. Do not induce vomiting. If eye contact occurs, flush eyes with running water for 15 minutes. If spilled on skin, wash with soap and water. Seek medical advice or contact the National Poisons Centre on 0800 764 766 and have product label at hand.

Environmental Care: Collect spillage. Do not contaminate or apply to waterways. Very toxic to aquatic life and terrestrial invertebrates. This substance must not be applied onto bees, beehives, bee nests or when bees are foraging in the area where it is to be applied.

Storage/Disposal: Store in original container in a cool dark place out of reach of children. Dispose of empty container in garbage.

As Kiwicare Corporation Limited has no control over the storage or use of this product, no liability is accepted for accidents or damage arising from the incorrect storage or use of this product.

It is an offence to use this product on animals.