



**KIWICARE®**

# INSECT CONTROL GRANULES

Controls a wide range of insect pests in turf, soil, around hedges, shrubs and ornamentals.

- Easy to use fast acting granules
- Dual action formula – contact and systemic providing protection and cure
- Controls insect pests on the surface and deep in the soil
- Systemic insecticide taken up by roots of grasses, shrubs and ornamentals
- Apply every 3 months for continuous protection

**Lawns and turf** use to control:

*Grass grub, porina caterpillar, slaters, ants, cluster flies, cutworms, earwigs and more.*

**Shrubs, hedges and ornamentals** use on soil around roots to control:

*Psyllids, scale insects, ants, mealy bugs, slaters, aphids and fungus gnat*

**Note:** Insect Control Granules are not registered for use on vegetables or other crops.

## DIRECTIONS

- Sprinkle evenly over area to be protected at a rate chosen from the table below.
- Water in by sprinkler irrigation or moderate to heavy rain (10mm)

Insect/pest	Rate of application	Application Notes
<b>on lawns and large areas</b>		
Grass Grub	100 g per 15 m <sup>2</sup>	use when grubs are feeding close to the surface (Feb-May) can also be used at any time of year as protective and curative
Porina Caterpillar	100 g per 30 m <sup>2</sup>	sprinkle evenly and water in
Slaters / earwigs	100 g per 10 m <sup>2</sup>	use on garden beds and around buildings
Wireworm	100 g per 10 m <sup>2</sup>	sprinkle on affected soil and water in
Ants, Cockroaches (as barrier)	100 g per 20 m <sup>2</sup>	apply 50 cm band on soil/gravel areas around buildings and water in, use around outdoor ant nest sites
Cluster Fly	100 g per 30 m <sup>2</sup>	sprinkle over turf within 200 m of previously affected buildings and water in
<b>in soil around plants</b>		
Psyllids, aphids, mealy bugs, scale in soil around shrubs hedges and ornamentals	10 g per m <sup>2</sup>	Sprinkle evenly on soil around and between the affected plants and water in
Bronze beetle, leaf miners, thrips	10 g per m <sup>2</sup>	Sprinkle evenly on soil around and between the affected plants and water in

## ACTIVE INGREDIENTS

2g/kg Thiamethoxam, 0.4g/kg Lambda-Cyhalothrin in the form of a granule.

HSNO Approval Code HSR101021.

Hazard Classifications: 6.3B, 9.1A, 9.3C, 9.4B

## PRECAUTIONS

Wear waterproof gloves, closed shoes and protective clothing. Avoid skin contact and inhalation of dust. Wash face and exposed skin after use. Safe for people and pets 24 hours after watering in.

## FIRST AID

If swallowed, drink 1-2 glasses of water or milk. Do not induce vomiting. Seek medical advice or contact the Nationals Poisons Centre on 0800-764-766. If eye contact occurs, flush eyes with running water for 15 minutes. If spilled on skin, wash affected areas with soap and water.

## WARNING

Causes mild skin irritation. Do not use on or around food or animal feed producing plants. Very toxic to aquatic life. Harmful to terrestrial vertebrates. Toxic to terrestrial invertebrates.

## ENVIRONMENTAL CARE

- Do not contaminate waterways or ponds.
- To protect beneficial pollinating insects such as bees do not apply to soil around plants in flower.

## STORAGE/DISPOSAL


Store away from foodstuffs and children. Triple rinse and dispose of container in household rubbish.

As Kiwicare Corporation Limited has no control over the storage or use of this product, no liability is accepted for accidents or damage arising from the incorrect storage or use of this product.

## APPROVED HANDLER

This product must be under the personal control of an approved handler when the product is:

- Applied in a wide dispersive manner, or
- Used by a commercial contractor



Kiwicare Corporation Ltd  
225 Maces Road  
Christchurch  
New Zealand  
Ph: 64 33890778  
www.kiwicare.co.nz